

## Zöllige Armaturen - Gewinde

Größe (Zoll)	Durchmesser Gewinde außen (mm)	Durchmesser Gewinde innen (mm)
1/8 "	9,7	8,6
1/4 "	13,2	11,5
3/8 "	16,7	15
1/2 "	21	18,7
3/4 "	26,4	24,2
1 "	33,3	30,3
1 1/4 "	41,9	39
1 1/2 "	47,8	44,9
2 "	59,6	56,7
2 1/2 "	75,2	72,3
3 "	87,8	85
4 "	113	110,1
5 "	138,4	135,5

## UMRECHNUNG

### Zoll in Millimeter

Zoll Bruchwert	Zoll Dezimalwert	mm Metrisch
1/64"	0,016"	0,397 mm
1/32"	0,031"	0,794 mm
1/16"	0,063"	1,587 mm
1/8"	0,125"	3,175 mm
1/4"	0,25	6,350 mm
3/8"	0,375"	9,525 mm
1/2"	0,500"	12,700 mm
5/8"	0,625"	15,875 mm
3/4"	0,75	19,050 mm
7/8"	0,875"	22,225 mm
1"	1"	25,400 mm
1 1/4"	1,250"	31,750 mm
1 1/2"	1,500"	38,100 mm
1 3/4"	1,750"	44,450 mm
2"	2"	50,800 mm
2 1/4"	2,250"	57,150 mm
2 1/2"	2,500"	63,500 mm
2 3/4"	2,750"	69,850 mm
3"	3"	76,200 mm
3 1/4"	3,250"	82,550 mm
3 1/2"	3,500"	88,900 mm
3 3/4"	3,750"	95,250 mm
4"	4"	101,60 mm
4 1/4"	4,250"	107,95 mm
4 1/2"	4,500"	114,30 mm
4 3/4"	4,750"	120,65 mm
5"	5"	127,00 mm
6"	6"	152,40 mm
7"	7"	177,80 mm
8"	8"	203,20 mm
9"	9"	228,60 mm
10"	10"	254,00 mm